

Section name references in L^AT_EX^{*}

Sebastian Rahtz (deceased)
Heiko Oberdiek (inactive)
The L^AT_EX Project
<https://github.com/latex3/hyperref/issues>

2022-05-17

Documentation overview for hyperref

The documentation for package `hyperref` consists of several files:

[Manual](#) The **USER MANUAL** (also available as HTML).

[ChangeLog](#) This file records the version history.

[Bookmark talk, slides](#) Slides for the talk “PDF information and navigation elements with hyperref, pdfTeX and thumbpdf” at EuroT_EX 1999.

[Bookmark talk, paper](#) The paper version of the talk.

Source code documentation:

[hyperref.dtx](#) This is the source code documentation for hyperref.

[backref.dtx](#) “Back referencing from bibliographical citations”

📖 [nameref.dtx](#) “Section name references in L^AT_EX” (this file)

Contents

1	Introduction	2
2	Background and advice for package and class authors	2
3	History	3

^{*}This file has version number v2.50, last revised 2022-05-17.

4	Implementation	4
4.1	<code>\label</code> stuff	4
4.2	Changes of section macros	6
4.2.1	Class beamer	9
4.2.2	Theorems	10
4.3	Referencing stuff	11
4.4	Usage and frontend	13
4.5	Package ifthen support	14
4.6	Compatibility with <code>varioref</code>	14
4.7	Support for package <code>listings</code>	15
5	Index	15

1 Introduction

Cross-referencing to include the *name* of the section, rather than just the number or page. This works by redefining some of the inside \LaTeX macros, so it is vulnerable to future changes.

2 Background and advice for package and class authors

The package redefines the `\label` command to write additionally `\@currentlabelname` to the `.aux` file. This can then be referenced with `\nameref`. Package authors who want to support `nameref` should define this command (locally) in a suitable way. The content should be so that it can be safely written to the `.aux` file. `nameref` itself uses the package `getttitlestring` but this is not required.

`nameref` patches a number of commands (mostly sectioning commands) and environments so that they store `\@currentlabelname`. A class or a package that want to provide native support instead can suppress this patches by defining commands described below. The commands must be defined before the patch is made, in most cases before `nameref` is loaded, sometimes only before begin document.

sectioning commands Redefined are

- `\@sect`: beside adding a command that stores the title of a sectioning command (if present the optional argument is used) `nameref` also stores the level number in a counter `section@level` (reason is unknown, only two packages, `e-french` and `pdfscreen` seem to use it), and surrounds the text with `\Sectionformat` (only used by `acmart`, `memoir`, `pdfscreen`, `pdfslide`), a command which takes two argument: the first the text, the second the level.
- `\@ssect`: command to store the title added, `\Sectionformat` is added.
- `\M@sect` (`memoir` class): command to store the title added
- `\@part`, `\@spart`, `\@chapter`, `\@schapter`: command to store the title added
- `\ttl@sect@i` (from the `titlesec` package): command to store the title added

All the patches excepted the last are disabled if the command `\NR@nopatch@sectioning` is defined (the actual definition is irrelevant, only existence is tested). The titlesec patch is disabled if `\NR@nopatch@titlesec` is defined. This currently only suppress the actual patches, the counter, `\Sectionformat` and also the internal copies `\NR@sect` etc are still defined.

captions The following commands are patched

- `\@caption`: command to store the title added. This is done at begin document, but only if `hyperref` is not detected. With `hyperref` the patch is done there (and must be disabled in `hyperref`).
This patch can be disabled by defining `\NR@nopatch@caption`
- `\LTcc@ption` (from the `longtable` package): command to store the title added.
This patch can be disabled by defining `\NR@nopatch@longtable`
- `\lst@MakeCaption` (from the `listings` package)
This patch can be disabled by defining `\NR@nopatch@listings`

lists The following command is patched

- `\descriptionlabel`: command to store the label text added. To reference this text the `\label` must be put *inside* the label. This is not compatible with the `enumitem` package as internal formatting commands are written to the `.aux` file too.
This patch can be disabled by defining `\NR@nopatch@lists`

theorems • `\@opargbegintheorem`: command to store the title added.
This patch can be disabled by defining `\NR@nopatch@theorem`

- `\@begintheorem` (if `amsthm` is loaded and if the command has a tested meaning): command to store the title added.
This patch can be disabled by defining `\NR@nopatch@amsthm`

beamer In the `beamer` class the following commands are patched: `\beamer@section`, `\beamer@subsection`, `\beamer@subsubsection`, `\beamer@descriptionitem` and the template `theorem begin`. If `\NR@nopatch@beamer` is defined nothing is done.

3 History

Sebastian Rahtz, for Lou Burnard, March 15th 1994;
 SPQR CERN July 1994;
 Last mod. Sept. 3th MG;
 Sept. 19th SPQR;
 April 11th 1995 SPQR (added section formatting hook);
 April 14th 1995 SPQR (compatibility with `hyperref`);
 June 22 1995 SPQR (removed typeout from `Sectionformat`);
 September 22 1997 added `varioref` hacks by Corey Minyard;
 September 28th changes by David Carlisle.
 More recent changes are recorded in `ChangeLog`.

The versions before 2009/11/27 v2.32 did not expand the title strings (of `\section`, `\caption`, ...). Then the behaviour switched to expanding, because this allows to remove unwanted macros (`\label`, ...). Despite this method is used in package `titleref` and class `memoir`, the first feedbacks let me conclude that this is not robust enough. Therefore I wrote package `getttitlestring` that uses the non-expanding method as default. It also allows me to use this package in package `zref-titleref`. See the package documentation of package `getttitlestring` how to change the method. It also provides a hook to remove additional unwanted macros, not supported by the package. Example:

```
\usepackage{getttitlestring}
\GetTitleStringDisableCommands{%
  \let\mylabel\@gobble
  \renewcommand\myindex[2]{}%
}
```

4 Implementation

```
1 (*package)
2 \RequirePackage{refcount}[2006/02/12]
3 \RequirePackage{getttitlestring}[2009/12/18]
4 \RequirePackage{ltxcmds}[2009/12/12]
```

We redefine `\label` so that it also writes the name of the current section to the `.aux` file; if the name ends in a dot, we zap it. To allow for the `hyperref` package, also write fourth and fifth fields (empty by default; used for cross-ref name, and file).

`\NR@strip@period`

```
5 \def\NR@strip@period#1.\ltx@empty#2\@nil{#1}
```

`\strip@period` Macro `\strip@period` was removed in `nameref` 2012/07/28 v2.41 and reinserted in 2012/07/31 v2.42 for compatibility reasons with package `subfig`.

```
6 \def\strip@period#1.\relax#2\@@@{#1}

7 \def\NR@sanitize@labelname{%
8   \@onelevel@sanitize\@currentlabelname
9   \edef\@currentlabelname{%
10     \expandafter\NR@strip@period\@currentlabelname
11     \ltx@empty.\ltx@empty\@nil
12   }%
13 }
```

4.1 `\label` stuff

Here is tested, whether package `showkeys` is loaded. But if option `final` is used, the macros of `showkeys` are not defined, so we have to check an additional test.

`\ifNR@showkeys`

```
14 \newif\ifNR@showkeys
15 \NR@showkeysfalse
16 \@ifpackageloaded{showkeys}{%
17   \begingroup
```

```

18     \ifundefined{SK@@label}{%
19     }{%
20         \global\NR@showkeystrue
21     }%
22 \endgroup
23 }{}

\label@hook

24 \providecommand*\label@hook{}
25 \ltx@GlobalAppendToMacro{\label@hook}{%
26     \NR@sanitize@labelname
27 }

\label

28 \def\label#1{%
29     \@bsphack
30     \begingroup
31     \def\label@name{#1}%
32     \label@hook
33     \protected@write\@auxout{}{%
34         \string\newlabel{#1}{%
35             {\@currentlabel}%
36             {\thepage}%
37             {\@currentlabelname}%
38             {\@currentHref}{}%
39         }%
40     }%
41 \endgroup
42 \@esphack
43 }%
44 \ifNR@showkeys
45     \def\label#1{%
46         \@bsphack
47         \SK@\SK@@label{#1}%
48         \begingroup
49         \def\label@name{#1}%
50         \label@hook
51         \protected@write\@auxout{}{%
52             \string\newlabel{#1}{%
53                 {\@currentlabel}%
54                 {\thepage}%
55                 {\@currentlabelname}%
56                 {\@currentHref}{}%
57             }%
58         }%
59     \endgroup
60     \@esphack
61 }%
62 \fi

\ltx@label

63 \let\ltx@label\label

```

Needed for the *subeqnarray* package.

```

\slabel
64 \ifundefined{slabel}{-}{%
65   \def\slabel#1{%
66     \bsphack
67     \if@filesw
68       \begingroup
69         \def\label@name{#1}%
70         \label@hook
71         \let\thepage\relax
72         \def\protect{\noexpand\noexpand\noexpand}%
73         \edef\@tempa{%
74           \write\@auxout{%
75             \string\newlabel{#1}{%
76               {\thesubequation}%
77               {\thepage}%
78               {\@currentlabelname}%
79               {\@currentHref}{-}}%
80           }%
81         }%
82       }%
83     \expandafter\endgroup
84     \@tempa
85     \if@nobreak\ifvmode\nobreak\fi\fi
86   \fi
87   \esphack
88 }%
89 }

```

Overload an AMS L^AT_EX command, which uses `\newlabel`. Sigh!

```

\@writetocindent@
90 \def\@writetocindent@{%
91   \begingroup
92   \@for\@tempa:=-1,0,1,2,3\do{%
93     \immediate\write\@auxout{%
94       \string\newlabel{tocindent\@tempa}{%
95         \csname r@tocindent\@tempa\endcsname}{-}{-}{-}}%
96     }%
97   }%
98 }%
99 \endgroup
100 }

```

4.2 Changes of section macros

Add to the underlying section heading macros so that they note the section name for use by label.

If a section heading or the like has a `\label` in it, we need to extract it, or subsequent processing breaks.

```

\NR@getttitle
101 \def\NR@getttitle#1{%
102   \GetTitleString{#1}%
103   \let\@currentlabelname\GetTitleStringResult

```

104 }

First the numbered sections. While we are about it, put in a useful section formatting macro.

`\NR@sect`

105 `\let\NR@sect\@sect`

106 `\newcounter{section@level}`

`\@sect`

107 `\@ifundefined{NR@nopatch@sectioning}`

108 `{\def\@sect#1#2#3#4#5#6[#7]#8{%`

109 `\setcounter{section@level}{#2}%`

110 `\NR@getttitle{#7}%`

111 `\NR@sect{#1}{#2}{#3}{#4}{#5}{#6}[\{#7\}]{\Sectionformat{#8}{#2}}%`

112 `}}{}`

and now the unnumbered ones

`\NR@ssect`

113 `\let\NR@ssect\@ssect`

`\@ssect`

114 `\@ifundefined{NR@nopatch@sectioning}`

115 `{\def\@ssect#1#2#3#4#5{%`

116 `\NR@getttitle{#5}%`

117 `\NR@ssect{#1}{#2}{#3}{#4}{\Sectionformat{#5}{#1}}%`

118 `}}{}`

Support for class memoir.

119 `\@ifundefined{NR@nopatch@sectioning}`

120 `{\ltx@ifundefined{ifheadnameref}{%`

121 `}{%`

122 `\ltx@ifundefined{M@sect}{%`

123 `}{%`

124 `\let\NRorg@M@sect\M@sect`

125 `\def\M@sect#1#2#3#4#5#6[#7][#8]{%`

126 `\ifheadnameref`

127 `\NR@getttitle{#8}%`

128 `\else`

129 `\NR@getttitle{#7}%`

130 `\fi`

131 `\NRorg@M@sect{#1}{#2}{#3}{#4}{#5}{#6}[\{#7\}][\{#8\}]%`

132 `}%`

133 `}%`

134 `}}{}`

Parts and chapters are treated differently. sigh. `\@part` and `\@spart` are `\long` because of class memoir.

135 `\let\NR@part\@part`

136 `\let\NR@spart\@spart`

137 `\let\NR@chapter\@chapter`

138 `\let\NR@schapter\@schapter`

```

139 \@ifundefined{NR@nopatch@sectioning}
140 {%
141   \long\def\@part[#1]#2{%
142     \NR@getttitle{#1}%
143     \NR@part[{#1}]{#2}%
144   }
145   \long\def\@spart#1{%
146     \NR@getttitle{#1}%
147     \NR@spart{#1}%
148   }
149   \def\@chapter[#1]#2{%
150     \NR@getttitle{#1}%
151     \NR@chapter[{#1}]{#2}%
152   }
153   \@ifclassloaded{memoir}{%
154     \ltx@ifundefined{ifheadnameref}{%
155       {%
156         \def\@chapter[#1]#2{%
157           \ltx@ifundefined{ch@pt@c}{%
158             \NR@getttitle{#1}%
159           }{%
160             \ifx\ch@pt@c\ltx@empty
161               \NR@getttitle{#2}%
162             \else
163               \def\NR@temp{#1}%
164               \ifx\NR@temp\ltx@empty
165                 \expandafter\NR@getttitle\expandafter{\ch@pt@c}%
166               \else
167                 \ifheadnameref
168                   \NR@getttitle{#1}%
169                 \else
170                   \expandafter\NR@getttitle\expandafter{\ch@pt@c}%
171                 \fi
172               \fi
173             \fi
174           }%
175           \NR@chapter[{#1}]{#2}%
176         }%
177       }%
178     }{}
179     \def\@schapter#1{%
180       \NR@getttitle{#1}%
181       \NR@schapter{#1}%
182     }{}

```

Captions

```

183 \AtBeginDocument{%
184   \@ifpackageloaded{hyperref}{}
185   {%
186     \@ifundefined{NR@nopatch@caption}
187     {\let\NR@@caption\@caption
188      \long\def\@caption#1[#2]{%
189        \NR@getttitle{#2}%
190        \NR@@caption{#1}[{#2}]}%

```



```

191     }}%
192     {}%
193 }%

194 \ifpackageloaded{longtable}{%
195 \ifundefined{NR@nopatch@longtable}
196 {%
197     \let\NRorg@LT@c@ption\LT@c@ption
198     \def\LT@c@ption#1[#2]#3{%
199         \NRorg@LT@c@ption{#1}[{#2}]{#3}%
200         \def\@tempa{#2}%
201         \ifx\@tempa\@empty
202             \else
203                 \NR@getttitle{#2}%
204             \fi
205         }%
206     }{}%
207 }{}%

    Environment ‘description’.
208 \ltx@ifundefined{descriptionlabel}{%
209 }{%
210     \ifundefined{NR@nopatch@lists}
211     {\let\NRorg@descriptionlabel\descriptionlabel
212     \def\descriptionlabel#1{%
213         \NR@getttitle{#1}%
214         \NRorg@descriptionlabel{#1}%
215     }%
216     }{}%
217 }%
218 }

    Compatibility for package titlesec.
219 \AtBeginDocument{%
220 \ifpackageloaded{titlesec}{%
221     \let\NRorg@ttl@sect@i\ttl@sect@i
222     \ifundefined{NR@nopatch@titlesec}
223     {%
224         \def\ttl@sect@i#1#2[#3]#4{%
225             \NR@getttitle{#4}%
226             \NRorg@ttl@sect@i{#1}{#2}[{#3}]{#4}%
227         }%
228     }{}%
229 }{}%
230 }

```

4.2.1 Class beamer

```

231 \ifclassloaded{beamer}{%
232 \ifclasslater{beamer}{2022-05-17}
233 }{}%do nothing
234 {%
235     \ifundefined{NR@nopatch@beamer}
236     {%
237         \def\NR@PatchBeamer#1{%

```

```

238 \expandafter\let\csname NRorg@beamer@#1\expandafter\endcsname
239 \csname beamer@#1\endcsname
240 \begingroup
241 \edef\x{\endgroup
242 \long\def\expandafter\noexpand\csname beamer@#1\endcsname
243 [####1]{% hash-ok
244 \noexpand\NR@getttitle{####1}%
245 \expandafter\noexpand\csname NRorg@beamer@#1\endcsname
246 [{####1}]%
247 }%
248 }%
249 \x
250 }%
251 \AddToHook{class/beamer/after}{%
252 \NR@PatchBeamer{section}%
253 \NR@PatchBeamer{subsection}%
254 \NR@PatchBeamer{subsubsection}%

```

Theorem names.

```

255 \addtobeamertemplate{theorem begin}{%
256 \expandafter\NR@getttitle\expandafter{\inserttheoremaddition}%
257 }{}%
258 \@ifdefinable{\NRorg@beamer@descriptionitem}{%
259 \let\NRorg@beamer@descriptionitem\beamer@descriptionitem
260 \renewcommand{\beamer@descriptionitem}[1]{%
261 \NR@getttitle{#1}%
262 \NRorg@beamer@descriptionitem{#1}%
263 }%
264 }%
265 }%Hook
266 }{}%@ifundefined
267 }%class later
268 }{}

```

4.2.2 Theorems

```

269 \ltx@ifundefined{@opargbegintheorem}{-}{%
270 \let\NRorg@opargbegintheorem\@opargbegintheorem
271 \def\@opargbegintheorem#1#2#3{%
272 \NR@getttitle{#3}%
273 \NRorg@opargbegintheorem{#1}{#2}{#3}%
274 }%
275 }
276 \AtBeginDocument{%
277 \@ifpackageloaded{amsthm}{%
278 \let\NRorg@begintheorem\@begintheorem
279 \begingroup
280 \edef\x{macro:\string#1\string#2[\string#3]}%
281 \@onelevel@sanitize\x
282 \def\y#1->#2\@nil{#1}%
283 \edef\z{\expandafter\y\meaning\@begintheorem->\@nil}%
284 \@onelevel@sanitize\z
285 \expandafter\endgroup
286 \ifx\x\z
287 \def\@begintheorem#1#2[#3]{%

```

```

288      \NR@getttitle{#3}%
289      \NRorg@begintheorem{#1}{#2}[{#3}]%
290    }%
291    \fi
292  }{}%
293 }

```

4.3 Referencing stuff

We default the label and hypertext reference to be empty.

```

294 \providecommand*\@currentlabelname{}
295 \providecommand*\@currentHref{}

```

Since the second part of the preserved reference now has five parts (number, page, name, hypertext reference and file), we need extra utility macros:

```

\@firstoffive
296 \long\def\@firstoffive#1#2#3#4#5{#1}

\@secondoffive
297 \long\def\@secondoffive#1#2#3#4#5{#2}

\@thirdoffive
298 \long\def\@thirdoffive#1#2#3#4#5{#3}

\@fourthoffive
299 \long\def\@fourthoffive#1#2#3#4#5{#4}

\@fifthoffive
300 \long\def\@fifthoffive#1#2#3#4#5{#5}

```

We have to redefine `\ref`, `\Ref` and `\pageref` to know about extra reference elements. Make them robust, and compatible with Babel. We also define starred versions so that it doesn't depend on `hyperref` if they are defined or not. We use the same internal names as `hyperref`. The Babel switch is mimicked if not already defined. Some support for package `showkeys` is implemented. If option `notref` of that package is set, `\SK@ref` has the meaning of `\@empty`.

```

\@safe@activestrue
301 \providecommand*\@safe@activestrue{}%

\@safe@activesfalse
302 \providecommand*\@safe@activesfalse{}%

\NR@ref@showkeys
303 \newcommand\NR@ref@showkeys[1]{}%

\NR@setref
304 \def\NR@setref#1{%
305   \begingroup
306     \@safe@activestrue
307     \expandafter
308     \endgroup
309     \expandafter\NR@@setref\csname r@#1\endcsname
310 }

```

```

\NR@@setref
311 \def\NR@@setref#1{%
312   \ifx\@undefined#1%
313     \let#1\relax
314   \fi
315   \@setref#1%
316 }

\T@ref
317 \def\T@ref#1{%
318   \NR@ref@showkeys{#1}%
319   \NR@setref{#1}\@firstoffive{#1}%
320 }%

\@refstar
321 \def\@refstar#1{%
322   \NR@ref@showkeys{#1}%
323   \NR@setref{#1}\@firstoffive{#1}%
324 }%

\T@pageref
325 \def\T@pageref#1{%
326   \NR@ref@showkeys{#1}%
327   \NR@setref{#1}\@secondoffive{#1}%
328 }%

\@pagerefstar
329 \def\@pagerefstar#1{%
330   \NR@ref@showkeys{#1}%
331   \NR@setref{#1}\@secondoffive{#1}%
332 }%

\T@Ref
333 \def\T@Ref#1{%
334   \NR@ref@showkeys{#1}%
335   \NR@setref{#1}\NR@MakeUppercaseFirstOfFive{#1}%
336 }%
337 \def\NR@MakeUppercaseFirstOfFive#1#2#3#4#5{%
338   \MakeUppercase#1%
339 }%

\@Refstar
340 \def\@Refstar#1{%
341   \NR@ref@showkeys{#1}%
342   \NR@setref{#1}\NR@MakeUppercaseFirstOfFive{#1}%
343 }%

344 \ifNR@showkeys
345   \ifx\SK@ref\@empty
346   \else
347     \renewcommand\NR@ref@showkeys[1]{%
348       \@safe@activetrue
349       \SK@\SK@@ref{#1}%

```

```

350   \@safe@activesfalse}
351   \fi
352 \fi

```

Package `hyperref` uses the same definitions of `\ref`, `\Ref` and `\pageref` but has to redefine the non-starred command to add the hyperlink support. `\DeclareRobustCommand` is used by `hyperref`. Package `nameref` can be loaded before, after `hyperref` or after `hyperref`'s definitions in `\AtBeginDocument`. We have to postpone the definition to `\AtBeginDocument` to avoid that `showkeys` overwrites them again.

```

353 \AddToHook{begindocument}{%

```

```

\ref

```

```

354 \DeclareDocumentCommand\ref{s}
355   {\IfBooleanTF{#1}{\@refstar}{\T@ref}}}%

```

```

\pageref

```

```

356 \DeclareDocumentCommand\pageref{s}
357   {\IfBooleanTF{#1}{\@pagerefstar}{\T@pageref}}}%

```

```

\Ref

```

```

358 \DeclareDocumentCommand\Ref{s}
359   {\IfBooleanTF{#1}{\@Refstar}{\T@Ref}}}%

```

```

360 }

```

```

361 \DeclareHookRule{begindocument}{showkeys}{before}{nameref}

```

4.4 Usage and frontend

Access the (third) name part with `\nameref`;

```

\T@nameref

```

```

362 \def\T@nameref#1{%
363   \NR@ref@showkeys{#1}%
364   \begingroup
365     \let\label\@gobble
366     \NR@setref{#1}\@thirdoffive{#1}%
367   \endgroup
368 }%

```

```

\@namerefstar

```

```

369 \def\@namerefstar#1{%
370   \NR@ref@showkeys{#1}%
371   \begingroup
372     \let\label\@gobble
373     \NR@setref{#1}\@thirdoffive{#1}%
374   \endgroup
375 }%

```

```

\nameref

```

```

376 \@ifundefined{nameref}
377   {
378     \NewDocumentCommand\nameref{s}

```

```

379   {\IfBooleanTF{#1}{\@namerefstar}{\T@nameref}}
380 }
381 {
382   \PackageWarning{nameref}{Redefining \string\nameref}
383   \RenewDocumentCommand\nameref{s}
384   {\IfBooleanTF{#1}{\@namerefstar}{\T@nameref}}
385 }

```

`\Nameref` An extended form which gives title and page number. Not really useful, quotes are english, and no starred version. `varioref` can do that better. Remove??

```

386 \def\Nameref#1{\` \nameref{#1}' on page~\pageref{#1}}

```

`\Sectionformat` The default for `\Sectionformat`

```

387 \providecommand\Sectionformat[2]{#1}

```

4.5 Package ifthen support

Package `ifthen`'s `\isodd` does not work with `\pageref` because of the extra link and the star form. Therefore we need an expandable variant.

Unfortunately there is no hook in `\ifthenelse` in order to provide expandable versions without link of `\ref` and `\pageref`. As possible target I could only find `\begingroup`: Changed/disabled 2022-04-13: `ifthen` takes care itself to change `\pageref` to an expandable version.

```

388 \@ifundefined{@kernel@pageref@exp}
389   {\@ifpackageloaded{ifthen}{%
390     \let\NR@Org@ifthenelse@ifthenelse
391     \def@ifthenelse{%
392       \let\begingroup\NR@TE@begingroup
393       \NR@Org@ifthenelse
394     }%
395     \let\NR@Org@begingroup\begingroup
396     \def\NR@TE@begingroup{%
397       \let\begingroup\NR@Org@begingroup
398       \begingroup
399       \def\ref##1{\getrefbykeydefault{##1}{}{??}}%
400       \def\pageref##1{\getrefbykeydefault{##1}{page}{0}}%
401     }%
402   }{}{}{}

```

4.6 Compatibility with varioref

[This section was derived by Corey Minyard minyard@acm.org from the `varioref` package] Changed in 2019-09-12 by Frank Mittelbach to adapt to changes in `varioref`

```

403 \AtBeginDocument{%
404   \ifx\csname @vpageref\endcsname\relax
405     \else

```

This requires a `varioref` newer than 2019-09-12

```

406   \let\NR@@vpageref\@vpageref
407   \def\@vpageref#1[#2]#3{%
408     \begingroup
409     \csname @safe@activetrue\endcsname

```

```

410      \edef\x{#3}%
411      \@onelevel@sanitize\x
412      \toks@{%
413        \NR@@vpageref{#1} [{#2}]%
414      }%
415      \edef\x{\endgroup
416        \the\toks@\x}%
417      }%
418      \x
419    }%
420    \DeclareRobustCommand\vnameref[1]{%
421      \unskip~\nameref{#1} %
422      \@vpageref[\unskip]{#1}%
423    }%
424  \fi
425 }

```

4.7 Support for package listings

```

426 \AtBeginDocument{%
427   \ifpackageloaded{listings}{%
428     \ifundefined{NR@nopatch@listings}
429     {%
430       \let\NROrg@lst@MakeCaption\lst@MakeCaption
431       \def\lst@MakeCaption{%
432         \ifx\lst@label\@empty
433           \else
434             \let\@currentlabelname\lst@@caption
435           \fi
436           \NROrg@lst@MakeCaption
437         }%
438       }{}%
439     }{}%
440   }
441 }

```

5 Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in *roman* refer to the code lines where the entry is used.

Symbols	\@currentHref <u>296</u> , 319, 323
\@@@ 6	. . . 38, 56, 79, 295	\@for 92
\@@vpageref . . 406, 407	\@currentlabel . . 35, 53	\@fourthoffive <u>299</u>
\@Refstar <u>340</u> , 359	\@currentlabelname	\@gobble 365, 372
\@auxout . . 33, 51, 74, 93	. . . 8, 9, 10, 37,	\@ifclasslater 232
\@begintheorem	55, 78, 103, 294, 434	\@ifclassloaded 153, 231
. 278, 283, 287	\@empty . . . 201, 345, 432	\@ifdefinable 258
\@bsphack . . . 29, 46, 66	\@esphack . . . 42, 60, 87	\@ifpackageloaded .
\@caption 187, 188	\@fifthoffive <u>300</u>	. . . 16, 184, 194,
\@chapter . 137, 149, 156	\@firstoffive	220, 277, 389, 427

<code>\ifundefined</code>		
18, 64, 107, 114,		
119, 139, 186,		
195, 210, 222,		
235, 376, 388, 428		
<code>\@namerefstar</code>		
. 369, 379, 384		
<code>\@nil</code> 5, 11, 282, 283		
<code>\@onelevel@sanitize</code>		
. 8, 281, 284, 411		
<code>\@opargbegintheorem</code>		
. 270, 271		
<code>\@pagerefstar</code> 329, 357		
<code>\@part</code> 135, 141		
<code>\@refstar</code> 321, 355		
<code>\@safe@activesfalse</code>		
. 302, 350		
<code>\@safe@activetrue</code>		
. 301, 306, 348		
<code>\@schapter</code> 138, 179		
<code>\@secondoffive</code>		
. 297, 327, 331		
<code>\@sect</code> 105, 107		
<code>\@setref</code> 315		
<code>\@spart</code> 136, 145		
<code>\@ssect</code> 113, 114		
<code>\@tempa</code> 73, 84,		
92, 94, 95, 200, 201		
<code>\@thirdoffive</code>		
. 298, 366, 373		
<code>\@undefined</code> 312		
<code>\@vpageref</code> 422		
<code>\@writetocindent</code> 90		
A		
<code>\addtobeamertemplate</code>		
. 255		
<code>\AddToHook</code> 251, 353		
<code>\AtBeginDocument</code> 183,		
219, 276, 403, 426		
B		
<code>\beamer@descriptionitem</code>		
. 259, 260		
<code>\beginingroup</code> 17,		
30, 48, 68, 91,		
240, 279, 305,		
364, 371, 392,		
395, 397, 398, 408		
C		
<code>\ch@pt@c</code> 160, 165, 170		
<code>\csname</code> 95,		
238, 239, 242,		
245, 309, 404, 409		
D		
<code>\DeclareDocumentCommand</code>		
. 354, 356, 358		
<code>\DeclareHookRule</code> 361		
<code>\DeclareRobustCommand</code>		
. 420		
<code>\def</code> 5, 6,		
7, 28, 31, 45, 49,		
65, 69, 72, 90,		
101, 108, 115,		
125, 141, 145,		
149, 156, 163,		
179, 188, 198,		
200, 212, 224,		
237, 242, 271,		
282, 287, 296,		
297, 298, 299,		
300, 304, 311,		
317, 321, 325,		
329, 333, 337,		
340, 362, 369,		
386, 391, 396,		
399, 400, 407, 431		
<code>\descriptionlabel</code> .		
. 211, 212		
<code>\do</code> 92		
E		
<code>\edef</code> 9, 73, 241,		
280, 283, 410, 415		
<code>\else</code> 128,		
162, 166, 169,		
202, 346, 405, 433		
<code>\endcsname</code> 95,		
238, 239, 242,		
245, 309, 404, 409		
<code>\endgroup</code> 22, 41, 59,		
83, 99, 241, 285,		
308, 367, 374, 415		
<code>\expandafter</code> 10, 83,		
165, 170, 238,		
242, 245, 256,		
283, 285, 307, 309		
F		
<code>\fi</code> 62, 85, 86, 130,		
171, 172, 173,		
204, 291, 314,		
351, 352, 424, 435		
G		
<code>\getrefbykeydefault</code>		
. 399, 400		
<code>\GetTitleString</code> 102		
<code>\GetTitleStringResult</code>		
. 103		
<code>\global</code> 20		
I		
<code>\if@filesw</code> 67		
<code>\if@nobreak</code> 85		
<code>\IfBooleanTF</code> 355,		
357, 359, 379, 384		
<code>\ifheadnameref</code> 126, 167		
<code>\ifNR@showkeys</code>		
. 14, 44, 344		
<code>\ifthenelse</code> 390, 391		
<code>\ifvmode</code> 85		
<code>\ifx</code> 160, 164, 201, 286,		
312, 345, 404, 432		
<code>\immediate</code> 93		
<code>\inserttheoremaddition</code>		
. 256		
L		
<code>\label</code> 28, 63, 365, 372		
<code>\label@hook</code> 24, 32, 50, 70		
<code>\label@name</code> 31, 49, 69		
<code>\let</code> 63, 71, 103,		
105, 113, 124,		
135, 136, 137,		
138, 187, 197,		
211, 221, 238,		
259, 270, 278,		
313, 365, 372,		
390, 392, 395,		
397, 406, 430, 434		
<code>\long</code> 141, 145,		
188, 242, 296,		
297, 298, 299, 300		
<code>\lst@caption</code> 434		
<code>\lst@label</code> 432		
<code>\lst@MakeCaption</code> . .		
. 430, 431		
<code>\LT@c@ption</code> 197, 198		
<code>\ltx@empty</code> 5, 11, 160, 164		
<code>\ltx@GlobalAppendToMacro</code>		
. 25		
<code>\ltx@ifundefined</code> . .		
. 120, 122,		
154, 157, 208, 269		
<code>\ltx@label</code> 63		
M		
<code>\M@sect</code> 124, 125		
<code>\MakeUppercase</code> 338		
<code>\meaning</code> 283		

N		S	
\Nameref	386	\NR@ssect	113, 117
\nameref	376, 386, 421	\NR@strip@period . .	5, 10
\newcommand	303	\NR@TE@begingroup . .	392, 396
\newcounter	106	\NR@temp	163, 164
\NewDocumentCommand	378	\NRorg@beamer@description	258, 259, 262
\newif	14	\NROrg@begingroup . .	395, 397
\newlabel	34, 52, 75, 94	\NROrg@begintheorem	278, 289
\nobreak	85	\NROrg@descriptionlabel	211, 214
\noexpand	72, 242, 244, 245	\NROrg@ifthenelse . .	390, 393
\NR@@caption	187, 190	\NROrg@lst@MakeCaption	430, 436
\NR@@setref	309, 311	\NRorg@LT@c@ption . .	197, 199
\NR@@vpageref	406, 413	\NRorg@M@ssect	124, 131
\NR@chapter 137, 151, 175		\NRorg@opargbegintheorem	270, 273
\NR@gettitle	101, 110, 116, 127, 129, 142, 146, 150, 158, 161, 165, 168, 170, 180, 189, 203, 213, 225, 244, 256, 261, 272, 288	\NRorg@ttl@ssect@i . .	221, 226
\NR@MakeUppercaseFirstOffive	335, 337, 342	T	
\NR@part	135, 143	\T@nameref 362, 379, 384	
\NR@PatchBeamer	237, 252, 253, 254	\T@pageref	325, 357
\NR@ref@showkeys	303, 318, 322, 326, 330, 334, 341, 347, 363, 370	\T@Ref	333, 359
\NR@sanitize@labelname	7, 26	\T@ref	317, 355
\NR@schapter	138, 181	\the	416
\NR@ssect	105, 111	\thepage	36, 54, 71, 77
\NR@setref 304, 319, 323, 327, 331, 335, 342, 366, 373		\thesubequation	76
\NR@showkeysfalse	15	\toks@	412, 416
\NR@showkeystrue	20	\ttl@ssect@i	221, 224
\NR@spart	136, 147	U	
		\unskip	421, 422
P		V	
\PackageWarning	382	\vnameref	420
\pageref	356, 386, 400	W	
\protect	72	\write	74, 93
\protected@write	33, 51	X	
\providecommand	24, 294, 295, 301, 302, 387	\x	241, 249, 280, 281, 286, 410, 411, 415, 416, 418
R		Y	
\Ref	358	\y	282, 283
\ref	354, 399	Z	
\relax	6, 71, 313, 404	\z	283, 284, 286
\renewcommand	260, 347		
\RenewDocumentCommand	383		
\RequirePackage	2, 3, 4		