

# test

Table ??

```
library(modelsummary)

datasummary_skim(mtcars)

datasummary_balance(~vs, data = mtcars)

datasummary_correlation(mtcars)

dat <- mtcars
colnames(dat)[1] <- "under_score"
mod <- lm(hp ~ under_score + drat, dat)
modelsummary(mod, title = "Some caption content.")

if (knitr::is_latex_output()) {
  modelsummary(mod, title = "Some caption content.", align = "ld")
}
```

	Unique	Missing Pct.	Mean	SD	Min	Median	Max	Histogram
mpg	25	0	20.1	6.0	10.4	19.2	33.9	
cyl	3	0	6.2	1.8	4.0	6.0	8.0	
disp	27	0	230.7	123.9	71.1	196.3	472.0	
hp	22	0	146.7	68.6	52.0	123.0	335.0	
drat	22	0	3.6	0.5	2.8	3.7	4.9	
wt	29	0	3.2	1.0	1.5	3.3	5.4	
qsec	30	0	17.8	1.8	14.5	17.7	22.9	
vs	2	0	0.4	0.5	0.0	0.0	1.0	
am	2	0	0.4	0.5	0.0	0.0	1.0	
gear	3	0	3.7	0.7	3.0	4.0	5.0	
carb	6	0	2.8	1.6	1.0	2.0	8.0	

	0		1		Diff. in Means	Std. Error
	Mean	Std. Dev.	Mean	Std. Dev.		
mpg	16.6	3.9	24.6	5.4	7.9	1.7
cyl	7.4	1.1	4.6	0.9	-2.9	0.4
disp	307.1	106.8	132.5	56.9	-174.7	29.4
hp	189.7	60.3	91.4	24.4	-98.4	15.6
drat	3.4	0.5	3.9	0.5	0.5	0.2
wt	3.7	0.9	2.6	0.7	-1.1	0.3
qsec	16.7	1.1	19.3	1.4	2.6	0.4
am	0.3	0.5	0.5	0.5	0.2	0.2
gear	3.6	0.9	3.9	0.5	0.3	0.2
carb	3.6	1.5	1.8	1.1	-1.8	0.5

	mpg	cyl	disp	hp	drat	wt	qsec	vs	am	gear	carb
mpg	1	.	.	.	.	.	.	.	.	.	.
cyl	-0.85	1	.	.	.	.	.	.	.	.	.
disp	-0.85	0.90	1	.	.	.	.	.	.	.	.
hp	-0.78	0.83	0.79	1	.	.	.	.	.	.	.
drat	0.68	-0.70	-0.71	-0.45	1	.	.	.	.	.	.
wt	-0.87	0.78	0.89	0.66	-0.71	1	.	.	.	.	.
qsec	0.42	-0.59	-0.43	-0.71	0.09	-0.17	1	.	.	.	.
vs	0.66	-0.81	-0.71	-0.72	0.44	-0.55	0.74	1	.	.	.
am	0.60	-0.52	-0.59	-0.24	0.71	-0.69	-0.23	0.17	1	.	.
gear	0.48	-0.49	-0.56	-0.13	0.70	-0.58	-0.21	0.21	0.79	1	.
carb	-0.55	0.53	0.39	0.75	-0.09	0.43	-0.66	-0.57	0.06	0.27	1

Table 1: Some caption content.

	(1)
(Intercept)	278.515 (55.415)
under_score	-9.985 (1.792)
drat	19.126 (20.198)
Num.Obs.	32
R2	0.614
R2 Adj.	0.588
AIC	337.9
BIC	343.7
Log.Lik.	-164.940
RMSE	41.91