

Package ‘LMD’

October 12, 2022

Type Package

Date 2022-09-10

Title A Self-Adaptive Approach for Demodulating Multi-Component Signal

Version 1.0.0

Maintainer Shubhra Prakash <shubhraprakash279@gmail.com>

Description Local Mean Decomposition is an iterative and self-adaptive approach for demodulating, processing, and analyzing multi-component amplitude modulated and frequency modulated signals. This R package is based on the approach suggested by Smith (2005) <doi:10.1098/rsif.2005.0058> and the 'Python' library 'PyLMD'.

License Apache License (>= 2)

Depends R (>= 3.6.0)

BugReports <https://github.com/shubhra-opensource/LMD/issues>

URL <https://github.com/shubhra-opensource/LMD>

Encoding UTF-8

RoxygenNote 7.2.1

Suggests knitr, rmarkdown, ggformula, testthat (>= 3.0.0)

Config/testthat/edition 3

VignetteBuilder knitr

Imports EMD, ggplot2, patchwork

NeedsCompilation no

Author Shubhra Prakash [trl, aut, cre]

Repository CRAN

Date/Publication 2022-09-20 09:56:07 UTC

R topics documented:

| | |
|------------------------------------|---|
| extract_product_function | 2 |
| find_extrema | 3 |
| is_monotonous | 4 |

| | |
|-----------------------------------|---|
| lmd | 5 |
| local_mean_and_envelope | 6 |
| moving_average_smooth | 7 |
| plot_lmd | 8 |

| | |
|--------------|----------|
| Index | 9 |
|--------------|----------|

extract_product_function

Extract Product Function

Description

Method for extracting product functions

Usage

```
extract_product_function(
    signal,
    max_envelope_iteration = 200,
    envelope_epsilon = 0.01,
    convergence_epsilon = 0.01
)
```

Arguments

signal Signal values (Numeric | vector)

max_envelope_iteration Maximum number of iterations when separating local envelope signals (Integer)

envelope_epsilon Terminate processing when obtaining pure FM signal (Double)

convergence_epsilon Terminate processing when modulation signal converges (Double)

Value

Product Function

Author(s)

Shubhra Prakash, <shubhraprakash279@gmail.com>

References

<https://pypi.org/project/PyLMD/>

Examples

```
x=1:100
y = (2 / 3 ) * sin(x * 30) + (2 / 3) * sin(x * 17.5) + (4 / 5) * cos(x * 2)
plot(y,type="l")
pf=extract_product_function(y)
```

find_extrema

Find Extreme Points

Description

Method for finding Extreme Points

Usage

```
find_extrema(signal, include_endpoints = TRUE)
```

Arguments

signal Signal values (Numeric | vector)
include_endpoints whether to include end points or not (Boolean)

Details

A local extrema is the point at which a maximum or minimum value of the function in some open interval containing the point is obtained.

Value

Indexes of all extrema values (including starting and ending points)

Author(s)

Shubhra Prakash, <shubhraprakash279@gmail.com>

Examples

```
signal=c( 0.841471 ,0.9092974,0.14112,-0.7568025,-0.9589243)
find_extrema(signal)
```

`is_monotonous`*Monotonicity Check*

Description

Method for checking if signal is increasing or decreasing monotonously

Usage

```
is_monotonous(signal)
```

Arguments

`signal` Signal values (Numeric | vector)

Details

A monotonic signal is a function that keeps increasing or decreasing as its domain variable proceeds.#'

Value

Boolean

Author(s)

Shubhra Prakash, <shubhraprakash279@gmail.com>

References

<https://pypi.org/project/PyLMD/>

Examples

```
x=1:100  
is_monotonous(x)
```

lmd *Local Mean Decomposition*

Description

Method for finding Product Functions (PFs)

Usage

```
lmd(  
  signal,  
  include_endpoints = TRUE,  
  max_smooth_iteration = 12,  
  max_envelope_iteration = 200,  
  envelope_epsilon = 0.01,  
  convergence_epsilon = 0.01,  
  max_num_pf = 8  
)
```

Arguments

| | |
|------------------------|---------------------------------------------------------------------------------|
| signal | Signal values (Numeric vector) |
| include_endpoints | Whether to treat the endpoint of the signal as a pseudo-extreme point (Boolean) |
| max_smooth_iteration | Maximum number of iterations of moving average algorithm (Integer) |
| max_envelope_iteration | Maximum number of iterations when separating local envelope signals (Integer) |
| envelope_epsilon | Terminate processing when obtaining pure FM signal (Double) |
| convergence_epsilon | Terminate processing when modulation signal converges (Double) |
| max_num_pf | The maximum number of PFs generated(Integer) |

Details

LMD is a method of decomposing signal into Product Functions (PFs) based on algorithm presented in Jonathan S. Smith. The local mean decomposition and its application to EEG perception data. Journal of the Royal Society Interface, 2005, 2(5):443-454

Value

list(pf,residue) | PFs:The decompose functions arranged from high frequency to low frequency | residue:residual component

Author(s)

Shubhra Prakash, <shubhraprakash279@gmail.com>

References

<https://pypi.org/project/PyLMD/>

Examples

```
x=1:100
y = (2 / 3)* sin(x * 30) + (2 / 3) * sin(x * 17.5) + (4 / 5) *cos(x * 2)
plot(y,type="l")
lmd(y)
```

local_mean_and_envelope

Local Mean and Envelope

Description

Method for finding Local Mean and Envelope

Usage

```
local_mean_and_envelope(signal, extrema)
```

Arguments

| | |
|---------|----------------------------------|
| signal | Signal values (Numeric vector) |
| extrema | indexes for extreme values |

Value

mean, envelope and smoothed mean and envelope values

Author(s)

Shubhra Prakash, <shubhraprakash279@gmail.com>

References

<https://pypi.org/project/PyLMD/>

Examples

```
signal = sin(1:10)
extrema = c(1, 2, 5, 8, 10)
local_mean_and_envelope(signal, extrema)
```

moving_average_smooth *Weighted Moving Average*

Description

Weighted Moving Average Smoothing

Usage

```
moving_average_smooth(signal, window, max_smooth_iteration = 12)
```

Arguments

| | |
|----------------------|--------------------------------------------------------------------|
| signal | Signal values (Numeric vector) |
| window | filter weights for smoothing (Numeric vector) |
| max_smooth_iteration | Maximum number of iterations of moving average algorithm (Integer) |

Details

Weighted Moving Average Smoothing is used to smooth en the mean and envelope signal

Value

smooth signal

Author(s)

Shubhra Prakash, <shubhraprakash279@gmail.com>

References

<https://pypi.org/project/PyLMD/>

Examples

```
x=0:100
y = (2 / 3 ) * sin(x * 30) + (2 / 3) * sin(x * 17.5) + (4 / 5) * cos(x * 2)
plot(y, type="l")
wma=moving_average_smooth(y,5)
plot(wma, type="l")
```

`plot_lmd`*LMD Plot*

Description

Method for plotting Product Functions (PFs) and Residue

Usage

```
plot_lmd(  
  lmd_obj,  
  max_pf = length(lmd_obj[["pf"]]),  
  show_residue = TRUE,  
  pricolor_plot = "midnightblue",  
  line_size_plot = 1  
)
```

Arguments

| | |
|-----------------------------|--------------------------------------|
| <code>lmd_obj</code> | LMD object created from LMD function |
| <code>max_pf</code> | Number of PFs to Plot |
| <code>show_residue</code> | Whether to plot residue or not |
| <code>pricolor_plot</code> | color of plots |
| <code>line_size_plot</code> | Size of line in ggplot |

Value

ggplot plot for Product Functions (PFs) and Residue

Author(s)

Shubhra Prakash, <shubhraprakash279@gmail.com>

Examples

```
x=1:100  
y = (2 / 3)* sin(x * 30) + (2 / 3) * sin(x * 17.5) + (4 / 5) *cos(x * 2)  
plot_lmd(lmd(y))
```


Index

- * **Average**
 - moving_average_smooth, 7
 - * **Demodulation**
 - lmd, 5
 - * **Envelope**
 - local_mean_and_envelope, 6
 - * **Fault**
 - lmd, 5
 - * **LMD**
 - plot_lmd, 8
 - * **Local**
 - lmd, 5
 - local_mean_and_envelope, 6
 - * **Mean**
 - local_mean_and_envelope, 6
 - * **Moving**
 - moving_average_smooth, 7
 - * **PF**
 - plot_lmd, 8
 - * **Product**
 - lmd, 5
 - * **Residue**
 - plot_lmd, 8
 - * **Weighted**
 - moving_average_smooth, 7
 - * **and**
 - local_mean_and_envelope, 6
 - * **decomposition**
 - lmd, 5
 - * **diagnosis**
 - lmd, 5
 - * **extrema**
 - find_extrema, 3
 - * **functions**
 - lmd, 5
 - * **lmd**
 - extract_product_function, 2
 - lmd, 5
 - * **mean**
 - lmd, 5
 - * **mechanism**
 - lmd, 5
 - * **monotonic**
 - is_monotonous, 4
 - * **monotonous**
 - is_monotonous, 4
 - * **self-adaptive**
 - lmd, 5
 - * **wma**
 - moving_average_smooth, 7
- extract_product_function, 2
- find_extrema, 3
- is_monotonous, 4
- lmd, 5
- local_mean_and_envelope, 6
- moving_average_smooth, 7
- plot_lmd, 8