

Package ‘sundials’

October 21, 2026

Type Package

Title Vendored 'SUNDIALS' Solver Suite for Linking by Other Packages

Version 7.9.0-1

Date 2026-10-10

Description Bundles the pure-C part of the 'SUNDIALS' suite (CVODE, CVODES, ARKODE, IDA, IDAS and KINSOL with the serial vector and the dense, band and iterative linear solvers) and builds it into a static library. Other packages use it by adding 'sundials' to 'LinkingTo' for the headers and calling sundials::LdFlags() from their 'Makevars' to link the library. No 'Fortran', 'MPI', GPU or external third-party-library modules are included. 'SUNDIALS' is described in Hindmarsh et al. (2005) <doi:10.1145/1089014.1089020>.

License BSD_3_clause + file LICENSE

Copyright file inst/COPYRIGHTS

URL <https://github.com/Konrad1991/sundials>,
<https://computing.llnl.gov/projects/sundials>

BugReports <https://github.com/Konrad1991/sundials/issues>

Encoding UTF-8

NeedsCompilation yes

SystemRequirements GNU make

Suggests tinytest, Rcpp, deSolve

Author Konrad Krämer [aut, cre],
Lawrence Livermore National Security [cph] (SUNDIALS source code),
Southern Methodist University [cph] (SUNDIALS source code),
University of Maryland Baltimore County [cph] (SUNDIALS source code),
SUNDIALS contributors [aut, cph] (see inst/AUTHORS)

Maintainer Konrad Krämer <konrad_kraemer@yahoo.de>

Repository CRAN

Date/Publication 2026-10-21 14:30:15 UTC

Contents

sundials-package	2
inlineCxxPlugin	2
LdFlags	3
Index	5

sundials-package	<i>Vendored SUNDIALS solver suite for linking by other packages</i>
------------------	---

Description

Bundles the pure-C part of the SUNDIALS suite (CVODE, CVODES, ARKODE, IDA, IDAS, KINSOL, with the serial N_Vector and the dense, band and iterative linear solvers) and builds it into a static library, ‘libsundials.a’, under the package’s ‘lib’ directory. Other packages link it with LinkingTo: sundials (for the headers) and LdFlags() in their ‘Makevars’.

No Fortran, MPI, GPU or external third-party-library modules are included. The build is double precision with 64-bit indices.

References

Hindmarsh, A. C., Brown, P. N., Grant, K. E., Lee, S. L., Serban, R., Shumaker, D. E., Woodward, C. S. (2005). SUNDIALS: Suite of Nonlinear and Differential/Algebraic Equation Solvers. *ACM Transactions on Mathematical Software*, 31(3), 363-396. doi:10.1145/1089014.1089020
<https://computing.llnl.gov/projects/sundials>

See Also

[LdFlags](#)

inlineCxxPlugin	<i>Rcpp plugin for the vendored SUNDIALS library</i>
-----------------	--

Description

Lets Rcpp::sourceCpp and Rcpp::cppFunction compile against the SUNDIALS headers and static library shipped in this package. Not called directly; it is picked up by the attribute

```
// [[Rcpp::depends(sundials)]]
```

Usage

```
inlineCxxPlugin(...)
```

Arguments

... Ignored; present for compatibility with the plugin interface.

Value

A list with element `env` holding `PKG_CPPFLAGS` (the include flag) and `PKG_LIBS` (the linker flags from [LdFlags](#)).

See Also

[LdFlags](#), [CFlags](#)

Examples

```
str(inlineCxxPlugin())
```

LdFlags

Build flags for the vendored SUNDIALS library

Description

LdFlags prints `-L<libdir> -lsundials` for linking against the static SUNDIALS library shipped in this package. CFlags prints `-I<includedir>` for its headers; this is only needed outside the `LinkingTo` mechanism.

Usage

```
LdFlags()
```

```
CFlags()
```

Details

In the dependent package's DESCRIPTION:

```
LinkingTo: sundials
```

In its `src/Makevars` and `src/Makevars.win`:

```
PKG_LIBS = $(shell "$(R_HOME)/bin/Rscript" -e "sundials::LdFlags()")
```

The vendored build is double precision with 64-bit indices (`sunindextype = int64_t`) and contains no Fortran, MPI, GPU or external-library modules.

Value

The flag string, returned invisibly and also printed to `stdout` so it can be captured by `$(shell ...)` in a `Makevars` file.

Examples

```
LdFlags()  
CFlags()
```

Index

* **package**

sundials-package, [2](#)

CFlags, [3](#)

CFlags (LdFlags), [3](#)

inlineCxxPlugin, [2](#)

LdFlags, [2](#), [3](#), [3](#)

sundials (sundials-package), [2](#)

sundials-package, [2](#)