

NAME

apv1v — PDF/DJVU/EPUB/HTML/TXT viewer with vim-like behaviour

SYNOPSIS

apv1v [options] [file]

DESCRIPTION

apv1v is a PDF/DJVU/EPUB/HTML/TXT viewer, which behaves like vim.

OPTIONS

-c *file*

Load configuration from *file* instead of the default *~/.apv1vrc*

-h

Show help message and exit

-v

Show version and exit

COMMANDS

The following command keys can be used inside apv1v. Some of them may be prefixed by a number (as in pressing "13G"), this is indicated by a *count* in their description. Unless noted otherwise, the default value for the number is 1.

- o Display file chooser to open a PDF/DJVU/EPUB/HTML/TXT file
- O Select a directory to display
- t Display file chooser to open a PDF/DJVU/EPUB/HTML/TXT file in a new tab
- T Select a directory to display in a new tab
- R Reload the current file
- r Rotate the document clockwise by 90 degrees
- G Show page number *count*
- gt Show next tab
- gT Show previous tab
- PageDown, C-f Go forward *count* pages
- PageUp, C-b Go backward *count* pages
- C-d Go forward *count* half pages
- C-u Go backward *count* half pages
- H Scroll to page head
- M Scroll to page middle
- L Scroll to page bottom
- s skip some pages *count*
- C-p, Up, k Scroll up *count* units
- C-n, Down, h Scroll down *count* units

Backspace, Left, h
 Scroll left *count* units

Space, Right, l
 Scroll right *count* units

/ *string*
 Search forwards for *string*

? *string*
 Search backwards for *string*

f Toggle between fullscreen and window mode

zi Zoom in

zo Zoom out

zw Zoom to fit window width

zh Zoom to fit window height

m *char* Mark the current position to *char*, so that it can be recalled by pressing *char*

' *char* Return to the mark position *char*

” Return to the last position

q Close the current window

v Select a area

C-v Select a rectangle area

y copy the select area text to clipboard

c toggle content display

U underline selected text

A annotate selected text

C comment selected text

SETTINGS

These can be set in ~/.apv1vrc with "set *setting* [= *value*]".

fullscreen = yes/no
 Enable/Disable fullscreen

width = *int*
 Default window width

height = *int*
 Default window height

fix_width = *int*
 fixed width

fix_height = *int*
 fixed height

defaultdir = *path*
 Default directory for the open dialogue

zoom = *mode*
 Set default zoom level

normal The application sets the default zoom value
 fitwidth Fit pages to window width
 ftheight Fit pages to window height
 float 1.0 for 100%, 2.0 for 200%, etc.
 content = yes/no
 Show content view first
 content_follow_mode = *mode*
 Set default content follow mode
 none Not follow any content, just by user press Enter.
 page Just follow page of book.
 always Always follow any resources.
 continuous = yes/no
 Show PDF/DJVU/EPUB/HTML/TXT pages continuously or not.
 continuouspad = *int*
 Padding between pages for continuous = yes
 autoscrollpage = yes/no
 Enable/Disable scrolling the pages when hitting a page tail/head
 noinfo = yes/no
 Disable/Enable the usage of ~/.apv1vinfo
 pdfcache = *int*
 Set pdf cache size
 [no]cache = yes/no
 Disable/Enable cache
 scrollbar = yes/no
 Set show scrollbar or not
 visualmode = yes/no
 Set use visual mode to select and copy text or not
 wrapscan = yes/no
 Set wrapscan to search text or not
 doubleclick = *action*
 Set default double click action
 none Selection nothing
 word Selection a word under the curcor to clipboard
 line Selection a line under the curcor to clipboard
 page Selection a page under the curcor to clipboard
 guioptions = m/T/mT
 Weather display menu, toolbar or mean and toolbar.
 autoreload = *int*
 If auto reload document after some seconds
 inverted = yes/no
 If use inverted mode for pdf page

```
background = color
    Set background color
```

PROMPT

Like the COMMANDS, but prefixed with a colon:

```
:h[elp]    Display the help document
:q[uit]    Close the current window
:o[pen] file
    Open file
:doc file
    Load file into the current window
:TOtext [file]
    Translate file (or the current page) to a text file
:pr[int]   Print the current document
:tabnew    Create a new tab
:sp        Horizontally split the current window
:vsp       Vertically split the current window
:fp, :forwardpage [int]
    Go forward int pages (1 by default)
:bp, :prewardpage [int]
    Go backward int pages (1 by default)
:g, :goto int
    Go to page int
:z[oom] mode
    Set zoom to mode (see "set zoom" in SETTINGS)
:int      Go to page int
:content   toggle content display
```

AUTHORS

apvlv was written by Alf <naihe2010@126.com>.

This manual page was originally written by Stefan Ritter <xenox@thehappy.de> for the Debian project (but may be used by others), and was rewritten more beautifully by Daniel Friesel <foobar@derf.home-linux.org>.