

**NAME**

apv1v — PDF/DJVU/EPUB/HTML/TXT viewer with vim-like behaviour

**SYNOPSIS**

**apv1v** [options] [file]

**DESCRIPTION**

apv1v is a PDF/DJVU/EPUB/HTML/TXT viewer, which behaves like vim.

**OPTIONS**

-c *file*

Load configuration from *file* instead of the default *~/.apv1vrc*

-h

Show help message and exit

-v

Show version and exit

**COMMANDS**

The following command keys can be used inside apv1v. Some of them may be prefixed by a number (as in pressing "13G"), this is indicated by a *count* in their description. Unless noted otherwise, the default value for the number is 1.

- o Display file chooser to open a PDF/DJVU/EPUB/HTML/TXT file
- O Select a directory to display
- t Display file chooser to open a PDF/DJVU/EPUB/HTML/TXT file in a new tab
- T Select a directory to display in a new tab
- R Reload the current file
- r Rotate the document clockwise by 90 degrees
- G Show page number *count*
- gt Show next tab
- gT Show previous tab
- PageDown, C-f Go forward *count* pages
- PageUp, C-b Go backward *count* pages
- C-d Go forward *count* half pages
- C-u Go backward *count* half pages
- H Scroll to page head
- M Scroll to page middle
- L Scroll to page bottom
- s skip some pages *count*
- C-p, Up, k Scroll up *count* units
- C-n, Down, h Scroll down *count* units

Backspace, Left, h  
     Scroll left *count* units

Space, Right, l  
     Scroll right *count* units

/ *string*  
     Search forwards for *string*

? *string*  
     Search backwards for *string*

f      Toggle between fullscreen and window mode

zi      Zoom in

zo      Zoom out

zw      Zoom to fit window width

zh      Zoom to fit window height

m *char* Mark the current position to *char*, so that it can be recalled by pressing *char*

' *char* Return to the mark position *char*

”      Return to the last position

q      Close the current window

v      Select a area

C-v     Select a rectangle area

y      copy the select area text to clipboard

c      toggle content display

U      underline selected text

A      annotate selected text

C      comment selected text

## SETTINGS

These can be set in ~/.apv1vrc with "set *setting* [= *value*]".

fullscreen = yes/no  
     Enable/Disable fullscreen

width = *int*  
     Default window width

height = *int*  
     Default window height

fix\_width = *int*  
     fixed width

fix\_height = *int*  
     fixed height

defaultdir = *path*  
     Default directory for the open dialogue

zoom = *mode*  
     Set default zoom level

normal    The application sets the default zoom value  
 fitwidth    Fit pages to window width  
 ftheight    Fit pages to window height  
 float    1.0 for 100%, 2.0 for 200%, etc.

content = yes/no  
     Show content view first

content\_follow\_mode = *mode*  
     Set default content follow mode

none      Not follow any content, just by user press Enter.  
 page      Just follow page of book.  
 always    Always follow any resources.

continuous = yes/no  
     Show PDF/DJVU/EPUB/HTML/TXT pages continuously or not.

continuouspad = *int*  
     Padding between pages for continuous = yes

autoscrollpage = yes/no  
     Enable/Disable scrolling the pages when hitting a page tail/head

noinfo = yes/no  
     Disable/Enable the usage of ~/.apv1vinfo

pdfcache = *int*  
     Set pdf cache size

[no]cache = yes/no  
     Disable/Enable cache

scrollbar = yes/no  
     Set show scrollbar or not

visualmode = yes/no  
     Set use visual mode to select and copy text or not

wrapscan = yes/no  
     Set wrapscan to search text or not

doubleclick = *action*  
     Set default double click action

none      Selection nothing  
 word      Selection a word under the curcor to clipboard  
 line      Selection a line under the curcor to clipboard  
 page      Selection a page under the curcor to clipboard

guioptions = m/T/mT  
     Weather display menu, toolbar or mean and toolbar.

autoreload = *int*  
     If auto reload document after some seconds

inverted = yes/no  
     If use inverted mode for pdf page

```
background = color
    Set background color
```

**PROMPT**

Like the COMMANDS, but prefixed with a colon:

```
:h[elp]    Display the help document
:q[uit]    Close the current window
:o[pen] file
    Open file
:doc file
    Load file into the current window
:TOtext [file]
    Translate file (or the current page) to a text file
:pr[int]   Print the current document
:tabnew    Create a new tab
:sp        Horizontally split the current window
:vsp       Vertically split the current window
:fp, :forwardpage [int]
    Go forward int pages (1 by default)
:bp, :prewardpage [int]
    Go backward int pages (1 by default)
:g, :goto int
    Go to page int
:z[oom] mode
    Set zoom to mode (see "set zoom" in SETTINGS)
:int      Go to page int
:content   toggle content display
```

**AUTHORS**

apv1v was written by Alf <naihe2010@126.com>.

This manual page was originally written by Stefan Ritter <xenox@thehappy.de> for the Debian project (but may be used by others), and was rewritten more beautifully by Daniel Friesel <foobar@derf.home-linux.org>.